

Specialty Polymers

# **Multibond 1P2**

**Multibond 1P2** is a crosslinking polyvinyl acetate emulsion adhesive. It can be formulated for many applications such as cold and hot press laminating, edge gluing, and assembly.

## PHYSICAL PROPERTIES

Chemical Family Description: Crosslinking polyvinyl Acetate emulsion adhesive

Appearance: White colored liquid

Typical Viscosity: 3000 - 8000 cps (LVF, Spindle #3/12 RPM/83 °)

Weight Solids (%): 51.0 - 54.0

**pH:** 4.0 - 5.1

Specific gravity: 1.09 Weight per Gallon (lbs): 9.1 Minimum Film Forming Temperature:  $58.1 \,\%$  (14.5°C) Glass Transition Temperature (DSC):  $107.5 \,\%$  (41.95 $\,\%$ )

Mean Particle Size: 1 micron



# **ADDITONAL INFORMATION**

Multibond 1P2 conforms compositionally with FDA Regulations 175.105, 176.170, and 176.180.

### STORAGE AND HANDLING

Shelf Life: Best if used within two months of date of manufacture. Store in closed containers. Mix well before using. Product is freeze thaw stable but may need to be mixed prior to use.

For additional questions, Franklin's technical service team is available at 1.800.877.4583. **24/7** technical service is available online at <a href="https://www.franklinadhesivesandpolymers.com">www.franklinadhesivesandpolymers.com</a>

#### IMPORTANT NOTICE TO CUSTOMER:

The recommendations and data contained in this Product Data Sheet for use of this product are based on information Franklin believes to be reliable. They are offered in good faith without guarantee, as conditions and methods of use of our product by Customer are beyond Franklin's control. Customer must determine the suitability of the product for a particular application before adopting it on a commercial scale.

All orders for Franklin products shall be subject to Franklin International, Inc.'s Standard Terms and Conditions of Sale which may be found <a href="http://www.franklini.com/Terms">http://www.franklini.com/Terms</a> and Conditions.aspx ("Standard Terms"). Different or additional terms proposed by Customer are expressly rejected and shall not become part of the agreement between Customer and Franklin International, Inc. with respect to any order. Contact Franklin International, Inc. immediately if you cannot access our Standard Terms and we will provide you a copy upon request. Any sale of products by Franklin to Customer is expressly conditional upon Customer's consent to the Standard Terms, and Customer's acceptance of any performance by, or receipt of products from, Franklin International, Inc. shall constitute Customer's acceptance of the Standard Terms and Conditions of Sale.

© Copyright 2012. All rights reserved. Franklin International. Revised 10/12/12.

